ELSEVIER

Volumes 187–188, 12 June 2007

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

Foreword 1
Y.-H. Moon, C.-G. Kang

5-Axis machining speed enhancement by step length optimization 2
B.S. So, Y.H. Jung, T.R. Kurfess, S.M. Hwang

Investigation of deviations of the lock-position of dies due to unsteady thermal conditions 6
B.-A. Behrens, A. Kueper

Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam 10
J.N. Lee, R.S. Lee

Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting 14
J.H. Kang, K.O. Lee, J.S. Je, S.S. Kang

Micro deburring for precision parts using magnetic abrasive finishing method 19
S.L. Ko, Y.M. Baron, J.I. Park

An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel 26
K. Kanlayasiri, S. Boonmung

A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system 30
B.S. Kim, S.H. Lee, M.G. Lee, J. Ni, J.Y. Song, C.W. Lee

Five-axis machining time estimation algorithm based on machine characteristics 37
B.S. So, Y.H. Jung, J.W. Park, D.W. Lee

Computer aided design for cross wedge rolling tools of automobile semi-axes 41
Z. Jing, S. Xuedao, Hu. Zhenghuan

Die design for homogeneous plastic deformation during equal channel angular pressing 46
S.C. Yoon, P. Quang, S.I. Hong, H.S. Kim

A study of tool design for minimization of heat-affected zone in rapid heat ablation process 51
H.C. Kim, S.H. Lee, D.Y. Yang

A study on manufacturing technology for an inclined polygon mirror 56
S.-S. Park, H.-J. Lee, K.-Y. Lee, Y. Hwang

Development of a five-axis postprocessor system with a nutating head 60
C.-H. She, C.-C. Chang

A study on optical device alignment system using ultra precision multi-axis stage 65
S.H. Jeong, G.H. Kim, K.R. Cha

Research on rapid repairing techniques for auto panel dies 69
J.K. Ruan, Y.L. Ke, S.Q. Fan, H.Y. Dong

Effects of pad properties on material removal in chemical mechanical polishing 73
K.H. Park, H.J. Kim, O.M. Chang, H.D. Jeong

A new polishing method of metal mold with large-area electron beam irradiation 77
Y. Uno, A. Okada, K. Uemura, P. Raharjo, S. Sano, Z. Yu, S. Mishima

New polishing technology of free form surface by GC 81
X. Wu, Y. Kita, K. Ikoku

A study on press forming of automotive sub-frame parts using extruded aluminum profile 85
Y. Choi, H.T. Yeo, J.H. Park, G.H. Oh, S.W. Park

Elsevier B.V.

A study on the springback in the sheet metal flange drawing 89
S.-W. Lee, Y.-T. Kim

A comparative study on the forming limits of an aluminum sheet-metal in negative incremental forming 94
G. Hussain, N.U. Dar, L. Gao, M.H. Chen

A numerical and experimental study of surface deflections in automobile exterior panels 99
C.D. Park, W.J. Chung, B.M. Kim

Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming 103
Y.S. Lee, M.C. Kim, S.W. Kim, Y.N. Kwon, S.W. Choi, J.H. Lee

Optimum design of trimming line by one-step analysis for auto body parts 108
Y.D. Bao, H. Huh

Study on multi-stage sheet metal forming for automobile structure-pieces 113
W. Chen, Z.J. Liu, B. Hou, R.X. Du

Press forming using ultrasonic vibration 118
Y. Ashida, H. Aoyama

Simulation-based prediction model of the draw-bead restraining force and its application to sheet metal forming process 123
G.H. Bae, J.H. Song, H. Huh, S.H. Kim, S.H. Park

The study on numerical simulation of the laser tailor welded blanks stamping 128
X.G. Qiu, W.L. Chen

Experimental research on the stiffness of cylindrical shallow shell 132
L.H. Zhao, Z.Z. Sun, Y.Y. Yang

The axial collapse characteristics of hat shaped section members in a vehicle 136
I.Y. Yang, K.S. Lee, S.G. Park, C.S. Cha

The study of engine hood panel forming based on numerical simulation technology 140
H. Qiu, Y. Huang, Q. Liu

Study on mechanism of cylindrical shallow shell surface deflection 145
Y.Y. Yang, L.H. Zhao, Z.Z. Sun

The blank design and spring back control of a stamping die by using the bi-arc surface model 150
J.J. Sheu, M.E. Jiang

An experimental study on improvement of joining strength of the spin drum seaming division in washing machine 155
E.S. Kim, B.M. Kim

Parameters' automated optimization in sheet metal forming process 159
Q. Liu, W. Liu, F. Ruan, H. Qiu

Friction and formability of galvannealed interstitial free sheet steel 164
L.G. Garza, C.J. Van Tyne

Ductile fracture modeling of initiation and propagation in sheet-metal blanking processes 169
S. Yu, X. Xie, J. Zhang, Z. Zhao

Application of the forming limit stress diagram to forming limit prediction for the multi-step forming of auto panels 173
M.H. Chen, L. Gao, D.W. Zuo, M. Wang

The prediction of the occurrence of the delamination in cold drawn hyper-eutectoid steel wires 178
D.B. Park, E.G. Kang, W.J. Nam

Design of mandrel in tube drawing process for automotive steering input shaft 182
S.W. Kim, Y.N. Kwon, Y.S. Lee, J.H. Lee

Effect of alternating blank holder motion of drawing and wrinkle elimination on deep-drawability 187
T. Yagami, K. Manabe, Y. Yamauchi

Numerical simulation of sheet metal drawing by Maslennikov's technique 192
M. Yamashita, T. Hattori, N. Nishimura

Design and modification of tool to manufacture rectangular cup of Ni-MH battery for hybrid cars 197
T.W. Ku, Y. Kim, B.S. Kang

Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets 202
C.S. Namoco Jr., T. Iizuka, K. Narita, N. Takakura, K. Yamaguchi

A run-out measuring method using modeling and simulation in four-fluted end milling 207
K.Y. Lee, H.M. Kim, S.S. Park

Effect of different thermal conductivity functions on temperature fields in FGM 212
Y. Dai, W. Tan, Q. Sun, Y.D. Li

Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables 215
K.O. Lee, Y.M. Hur, J.H. Kang, S.S. Kang

Springback variational principles of bending of straight beams with large deflection 220
B.L. Fu, Y.J. Chen, H.M. Liu

Numerical determination of residual stress in friction stir weld using 3D-analytical model of stir zone 224
Rajesh S.R., H.S. Bang, W.S. Chang, H.J. Kim, H.S. Bang, C.I. Oh, J.S. Chu

Springback prediction for sheet metal forming based on GA-ANN technology 227
W. Liu, Q. Liu, F. Ruan, Z. Liang, H. Qiu

Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique 232
D.I. Kim, Y.-H. Huh, D.J. Kim, Y.H. Lee, C.D. Kee

Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes 236
T. Furushima, K. Manabe

A precision alignment method of micro tensile testing specimen using mechanical gripper 241
H.J. Lee, H.S. Choi, C.S. Han, N.K. Lee, G.A. Lee, T.H. Choi

Evaluation of milli-scale cylindrical cup in two-stage deep drawing process 245
K. Manabe, T. Shimizu, H. Koyama

A mechanistic model of cutting force in the micro end milling process 250
I.S. Kang, J.S. Kim, J.H. Kim, M.C. Kang, Y.W. Seo

Size effects of the cavity dimension on the microforming ability during coining process 256
C.J. Wang, D.B. Shan, J. Zhou, B. Guo, L.N. Sun

Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser 260
B.S. Shin, J.Y. Oh, H. Sohn

Fabrication of wedge-shape tool via electrochemical micromachining with diamond-like carbon coating 264
J.-J. Jung Wang, C.K. Chung, B.H. Wu, Y.Y. Liao

Binder system for STS 316 nanopowder feedstocks in micro-metal injection molding 270
S. Supriadi, E.R. Baek, C.J. Choi, B.T. Lee

Micro-EDM of sintered diamond 274
H. Nakaoku, T. Masuzawa, M. Fujino

FEM analysis of external inversion and energy absorbing characteristics of inverted tubes 279
Y.H. Luo, Z.W. Huang, X.L. Zhang

Evaluation of the crash energy absorption of hydroformed bumper stays 283
S.M. Sohn, B.J. Kim, K.S. Park, Y.H. Moon

FEA on deformation behavior of tailor-welded tube in hydroforming 287
G. Liu, S. Yuan, G. Chu

Study on forming limit and feasibility of tube axial compressive process 292
Z.C. Sun, H. Yang

Finite element analysis and experimental confirmation of warm hydroforming process for aluminum alloy 296
B.J. Kim, C.J. Van Tyne, M.Y. Lee, Y.H. Moon

The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups 300
S.D. Zhao, Z.Y. Zhang, Y. Zhang, J.H. Yuan

The effect of the key process parameters in the innovative hydroforming on the formed parts 304
L. Lang, T. Li, X. Zhou, J. Danckert, K.B. Nielsen

Identification of the bulk behavior of coatings by nano-indentation test and FE-analysis and its application to forming analysis of the coated steel sheet 309
J.M. Lee, D.C. Ko, K.S. Lee, B.M. Kim

The novel fabrication of multi-metal layers embedded in PMMA polymer material 314
C.H. Chien, H.M. Yu

Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing 318
P. Quang, Y.G. Jeong, S.C. Yoon, S.H. Hong, H.S. Kim

Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM 321
J.W. Park, S.S. Lee, B.S. So, Y.H. Jung, N. Kawasegi, N. Morita, D.W. Lee

Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques 326
S.W. Youn, M. Takahashi, H. Goto, R. Maeda

Evaluation of mechanical and electrical properties of nanocomposite parts fabricated by nanocomposite deposition system (NCDS) 331
S.G. Kim, W.S. Chu, W.K. Jung, S.H. Ahn

Investigation of viscosity properties for rheology forming of AM50A magnesium alloy 335
S.H. Han, C.G. Kang, J.H. Sung

Modelling of coupling flow and temperature fields in molten pool during twin-roll strip casting process 339
X.M. Zhang, Z.Y. Jiang, L.M. Yang, X.H. Liu, G.D. Wang, A.K. Tieu

The grain size control of A356 aluminum alloy by horizontal electromagnetic stirring for rheology forging 344
C.G. Kang, J.W. Bae, B.M. Kim

Numerical simulation of AZ91D alloy automobile plug in pressure die casting process 349
H. Yan, W. Zhuang, Y. Hu, Q. Zhang, H. Jin

Novel thixoextrusion process for Al wrought alloys 354
S.K. Kim, Y.Y. Yoon, H.H. Jo

Prediction of fracture in hub-hole expanding process using a new ductile fracture criterion 358
Y.K. Ko, J.S. Lee, H. Huh, H.K. Kim, S.H. Park

Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping 363
S.D. Zhao, L.J. Zhang, J. Lei, Z.W. Wang

Study on the method of parameterized meshing and its system realization 368
S.K. Xie, G.Q. Gui, J.H. Huang, H.L. Zheng

The simulation study of the linear mark generating process in the stretch reducing 373
Z.Q. Xu, F.S. Du, M.T. Wang

Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile 378
H.Y. Kim, H.Y. Jung, J.R. Cho, W.B. Bae

One-step FEM based control of weld line movement for tailor-welded blanks forming 383
B.T. Tang, Z. Zhao, S. Yu, J. Chen, X.Y. Ruan

Improvement of the surface quality of an automotive member by a modification of the stamping tool 387
S.-H. Kim

Analysis on temperature distribution in cross wedge rolling process with finite element method 392
F.Q. Ying, B.S. Pan

An extended arbitrary Lagrangian–Eulerian finite element modeling (X-ALE–FEM) in powder forming processes 397
A.R. Khoei, M. Anahid, K. Shahim

Fast FE analysis system for sheet metal stamping—FASTAMP 402
D. Ting, L. Yuqi, Z. Zhibing, L. Zhigang

Prediction of birefringence distribution for optical glass lens 407
J.W. Na, S.H. Rhim, S.I. Oh

Massive metal forming process simulation based on rigid/visco-plastic element-free Galerkin method 412
Y. Guan, G. Zhao, X. Wu, P. Lu

Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering 417
K.A. Khalil, S.W. Kim, N. Dharmaraj, K.W. Kim, H.Y. Kim

The effects of rare earth on the fracture properties of different metal–diamond composites 421
X.P. Xu, X.R. Tie, Y.Q. Yu

Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties 425
H.S. Lee, H.J. Kim, S.G. Kim, S.H. Ahn

Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite 429
G. Sasaki, W.G. Wang, Y. Hasegawa, Y.B. Choi, N. Fuyama, K. Matsugi, O. Yanagisawa

Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites 433
R. Rahmani Fard, F. Akhlaghi

On evaluation of CFRP composite laminates using ultrasonic with polarization direction 437
S.W. Ra, K.H. Im, I.Y. Yang

Analysis of acoustic characteristics according to design parameter of diaphragm 442
J.H. Kwon, S.M. Hwang

A study of dry coating process using zinc coated balls 447
J.-P. Hong, D.-K. Min, D.-T. Chung

Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis 453
F.X. Tan, M.Z. Li, Z.Y. Cai

Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis) 458
H.Y. Kim, C. Kim, W.B. Bae, S.M. Han

Prediction of blow forming profile of spherical titanium tank 463
J.H. Yoon, H.S. Lee, Y.M. Yi, Y.S. Jang

Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave 467
H.J. Shin, Y.T. Yoo, D.G. Ahn, K. Im

The analyse on the process of multi-point forming for dish head 471
Z.R. Qian, M.Z. Li, F.X. Tan

Study on varying curvature push-bending technique of rectangular section tube 476
X.T. Xiao, Y.J. Liao, Y.S. Sun, Z.R. Zhang, Yu. P. Kerdeyev, R.I. Neperish

Research on local loading method for an aluminium-alloy hatch with cross ribs and thin webs 480
D. Shan, W. Xu, C. Si, Y. Lu

3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning 486
M. Zhan, H. Yang, J.H. Zhang, Y.L. Xu, F. Ma

Study on processs and impact strength for a rotationally molded truck fender 492
Y. Li, J.C. Liang, W. Zhang, W. Qi, M. Su, C.D. Liu

Swaging process of power steering hose: Its finite element analysis considering the stress relaxation 497
J.R. Cho, J.I. Song

The interactive effects of wrinkling and other defects in thin-walled tube NC bending process 502
H. Li, H. Yang, M. Zhan, R.J. Gu

Roll casting of wire inserted aluminum alloy strip 508
T. Haga, K. Takahashi, H. Inui, H. Sakaguchi, H. Watari, S. Kumai

Experimental and numerical analyses of explosive free forming 512
S.A.A. Akbari Mousavi, M. Riahi, A. Hagh Parast

Study of blank-holder technology on multi-point forming of thin sheet metal 517
G. Sun, M.Z. Li, X.P. Yan, P.P. Zhong

Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures 521
D.G. Ahn, S.H. Lee, C.G. Jung, G.Y. Hahn, D.Y. Yang

A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade 526
H.-S. Lee, J.-H. Yoon, C.H. Park, Y.G. Ko, D.H. Shin, C.S. Lee

Influence of preform preparation condition on infiltration of molten aluminum 530
T. Yamanaka, Y.B. Choi, K. Matsugi, O. Yanagisawa, G. Sasaki

Deformation behavior of Al–Mg–Si alloy at the elevated temperature 533
Y.-N. Kwon, Y.S. Lee, J.H. Lee

Acoustic emission characteristics for diagnosis of TBC damaged by high-temperature thermal fatigue 537
J.H. Park, J.S. Kim, K.H. Lee

Formation of shear texture components during hot rolling of AA 1050 542
C.G. Kang, H.G. Kang, H.C. Kim, M.Y. Huh, H.G. Suk

Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets 546
J.E. Lee, D.H. Bae, W.S. Chung, K.H. Kim, J.H. Lee, Y.R. Cho

An internal variable approach to high temperature deformation and superplasticity of Mg alloys 550
H.S. Lee, J.S. Park, Y.W. Chang

High temperature bending fatigue behavior of stainless steels for automotive exhaust 555
T.K. Ha, H.T. Jeong, H.J. Sung

Texture development in a warm rolled AZ31 magnesium alloy 559
H.T. Jeong, T.K. Ha

The influence of surface layer microstructure evolution of M2 steel cold-ring rolling mandrel roller on fatigue crack initiation 562
G.W. Jia, L. Hua, H.J. Mao

Comparative studies on microstructure and mechanical properties of CrN, Cr–C–N and Cr–Mo–N coatings 566
E.Y. Choi, M.C. Kang, D.H. Kwon, D.W. Shin, K.H. Kim

The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition 571
S. Abraham, J.T. Ok, K.H. Kim

Strain rate dependence of deformation behavior of high-nitrogen austenitic steels 575
Y.-S. Kim, S.M. Nam, S.-J. Kim

Texture evolution of rolled AA5052 alloy sheets after annealing 578
K.J. Kim, H.-T. Jeong, K.S. Shin, C.-W. Kim

Near net shape forming process of a titanium alloy impeller 582
K. Shi, D.B. Shan, W.C. Xu, Y. Lu

Process analysis of multistage forging by using finite element method 586
K.S. Park, C.J. VanTyne, Y.H. Moon

Research on deformation and microstructure evolution during forging of large-scale parts 591
F.S. Du, M.T. Wang, X.T. Li

Preform design for precision forging of an asymmetric rib-web type component 595
J.J. Park, H.S. Hwang

Study on a new technological scheme for cold forging of spur gears 600
C. Hu, K. Wang, Q. Liu

A study on cold forging process sequence design of terminal pins for high-voltage capacitors 604
H.S. Kim

Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot 609
K. Park, Y.S. Kim, C.S. Kim, H.J. Park

Rapid prototyping manufacturing of silica sand patterns based on selective laser sintering 614
J.L. Song, Y.T. Li, Q.L. Deng, D.J. Hu

Functional prototype development of multi-layer board (MLB) using rapid prototyping technology 619
Y.G. Im, B.H. Cho, S.H. Seo, J.H. Son, S.I. Chung, H.D. Jeong

Generation and optimization of slice profile data in rapid prototyping and manufacturing 623
P. Haipeng, Z. Tianrui

Measurement of anisotropic compressive strength of rapid prototyping parts 627
C.S. Lee, S.G. Kim, H.J. Kim, S.H. Ahn

Friction analysis of microcosmic elastic-plastic contact for extrusion forming 631
L.G. Wang, X.P. Sun, Y. Huang

Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy 635
J.H. Kim, J.H. Kim, J.T. Yeom, D.-G. Lee, S.G. Lim, N.K. Park

Reciprocating extrusion of rapidly solidified Mg–6Zn–1Y–0.6Ce–0.6Zr alloy 640
X.F. Guo, D. Shechtman

Fabrication of micro condenser tube through direct extrusion 645
H. Cho, D.-Y. Hwang, B.-S. Lee, H.-H. Jo

The study of cup-rod combined extrusion processes of magnesium alloy (AZ61A) 649
Y. Hu, Z. Lai, Y. Zhang

Fabrication and characterization of Ti–Cu clad materials by indirect extrusion 653
J.S. Lee, H.T. Son, I.H. Oh, C.S. Kang, C.H. Yun, S.C. Lim, H.C. Kwon

Investigations on the effects of ultrasonic vibrations in the extrusion process 657
S.A.A. Akbari Mousavi, H. Feizi, R. Madoliat

Overview of adaptable die design for extrusions 662
W.A. Gordon, C.J. Van Tyne, Y.H. Moon

Research on effects of injection process parameters on the molding process for ultra-thin wall plastic parts 668
M.C. Song, Z. Liu, M.J. Wang, T.M. Yu, D.Y. Zhao

A yield function for copper powder in compaction 672
J.J. Park

Adaptive adjustment of plastic injection processes based on neural network 676
X.P. Liao, H.M. Xie, Y.J. Zhou, W. Xia

A three-invariant cap plasticity model with kinematic hardening rule for powder materials 680
A.R. Khoei, H. DorMohammadi, A.R. Azami

Analysis of diffusion mechanism between gas and melt in gas-assisted injection molding 685
J.C. Liang, Y. Li, D.H. Zhou, Z.R. Li, W. Zhang

Adaptive system for electrically driven thermoregulation of moulds for injection moulding 690
B. Nardin, B. Žagar, A. Glojek, D. Križaj

Deformation and strengthening of sintered ferrous material 694
X.P. Qin, L. Hua

Robust optimization based on knowledge discovery from metal forming simulation 698
J. Hu, Y. Peng, D. Li, J. Yin

Prediction of curvatures of parts extruded through rotary die using fuzzy inference 702
M. Shiraishi, M. Nikawa, T. Kubota, Y. Goto

Optimization with different methods for material processing parameters 706
K.-F. Xie, T.-R. Zhou

Statistical analysis on electrode wear in EDM of tool steel DIN 1.2714 used in forging dies 711
H. Zarepour, A. Fadaei Tehrani, D. Karimi, S. Amini

Application of fuzzy control of laminar cooling for hot rolled strip 715
H.B. Xie, Z.Y. Jiang, X.H. Liu, G.D. Wang, A.K. Tieu, M. Yang, K. Manabe

Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape 720
K.S. Park, B.J. Kim, Y.H. Moon

Three dimensional numerical analyses of asymmetric rolling 725
S.A.A. Akbari Mousavi, S.M. Ebrahimi, R. Madoliat

Development of the profile ring rolling process for large slewing rings of alloy steels 730
K.H. Kim, H.G. Suk, M.Y. Huh

Investigation of distribution of plastic zone in the process of plastic penetration 734
D.S. Qian, L. Hua, Z.J. Zuo

Design of sizing press anvil for decrease of defect in hot strip 738
D.C. Ko, S.H. Lee, D.H. Kim, S.M. Byon, H.D. Park, B.M. Kim

Research on following motion rule of guide roller in cold rolling groove ball ring 743
L. Hua, Z.J. Zuo, J. Lan, D.S. Qian

Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy 747
J.T. Yeom, J.H. Kim, N.K. Park, S.S. Choi, C.S. Lee

Theoretical and experimental study of varying rule of rolling-moment about cross-wedge rolling 752
X. Shu, C. Li, J. Zhao, Z. Hu

Development of AZ31 Mg alloy wrought process route without protective gas 757
S.K. Kim, J.-K. Lee, Y.-O. Yoon, H.-H. Jo

Improving the properties of forged magnesium parts by optimized process parameters 761
B.-A. Behrens, I. Schmidt

Flow softening behavior during high temperature deformation of AZ31Mg alloy 766
B.H. Lee, N.S. Reddy, J.T. Yeom, C.S. Lee

A study of flow-through phenomenon in the press forging of magnesium-alloy sheets 770
F.-K. Chen, T.-B. Huang, S.-J. Wang

Severe plastic deformation of the magnesium alloy AZ31 775
K. Mueller, S. Mueller

Influence on the microstructure and properties of AZ61 magnesium alloy at warm deformation 780
J.G. Niu, X. Zhang, Z.M. Zhang, B.C. Li

Evolution of strain states during rolling of bulk metallic glass canned with crystalline copper 783
E.S. Park, H.G. Kang, J.C. Lee, M.Y. Huh, H.J. Kim, J.C. Bae

Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model 786
Y.S. Na, J.H. Lee

Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium 791
L.Y. Zhang, Z.J. Zhan, Y.Z. Jia, W.K. Wang, B.D. Zhou

Characterization of inelastic deformation in metallic glass using instrumented indentation 794
Y.-H. Lee, J.-Y. Kim, J.-S. Park, S.-H. Nahm, D. Kwon

Evolution of temperature gradients during rolling of $Cu_{54}Ni_6Zr_{22}Ti_{18}$ bulk metallic glass in the super cooled liquid region 798
H.J. Kim, J.C. Bae, E.S. Park, J.C. Lee, M.Y. Huh, D.H. Kim

Deformation behavior of Ni-based bulk metallic glass synthesized by spark plasma sintering 801
J.K. Lee, H.J. Kim, T.S. Kim, S.Y. Shin, Y.C. Kim, J.C. Bae

Author index 805

Subject index 808